

Alubond USA ALUMINUM COMPOSITE PANEL WARRANTY

To :

From : **EUROCON BUILDING INDUSTRIES F.Z.C (EBI)**

Project Name
and Location:

Invoice No.:

DO. No.:

Item No.:

Total quantity:

Shipping Date:

1. Eurocon Building Industries FZC warrants to the Customer on the performance of the Alubond USA composite sheets that the sheet will not delaminate, separate or loose adhesion for a period of ten (10) years from the date of shipment.

2. Eurocon Building Industries FZC warrants to the Customer that the Alubond USA composite panels supplied by Eurocon Building Industries are within the following quality standards:

Thickness tolerance on the Panel : $\pm 0.2\text{mm}$

Thickness tolerance on the Skin : $\pm 0.05\text{mm}$

Length tolerance : $\pm 4\text{mm}$

Width tolerance : $\pm 2\text{mm}$

Bow : Max. 0.5 % of length and /or width

Squareness : Max. 5mm

Adhesion strength : Min. 7 N/mm for Al Skin 0.50 mm

Min. 5 N/mm for Al Skin 0.30 mm

Surface Finish : Free from all surface defect which are visually recognizable by

inspecting the panels from a distance of 3m with naked eye.

Color Difference between the batches: $\Delta E < 2.0$

Note:

- a. Where panels have been ordered in different lots, care to be taken to install these panels in a different area and avoid installing adjacent to the previous lot as it is a common phenomenon that there may have a slight color difference between the lots.
- b. The PE protective film should be removed from the coated surface of Alubond USA composite panel according to the below conditions after completion of installation:
 - Within 20° North or South from the Equator – within 45 days
 - Above 20° North or South from the Equator – within 3 months
 - Under shadow conditions - within 6 months from the date of manufacturing.
- c. The Alubond USA composite panels with metallic coatings must be installed in one direction as indicated in Alubond USA PE protective film to avoid the shade difference.

This warranty is not applicable to defects of any other sorts or distortion resulting after shipment caused by any reasons including, without limitations, corrosive or aggressive atmospheres, cut edges exposed to outdoor atmosphere, depreciation, wear and tear, building subsidence, act of God, defective material furnished or workmanship, defects in the building structure, or other forces, conditions or circumstances unrelated to the quality of the material at the date of shipment, or failure of a building owner occupant to do normal maintenance.

Note: This warranty is limited only to Alubond USA brand of ACP with top and bottom Al skins of same thickness.

The warranty only comes into force if the warranty certificate is dated, duly filled and stamped by EBI.

Eurocon Building Industries FZC agrees to repair or replace, at its sole cost and discretion, any ALUBOND USA composite sheets of such defects as shall have been proven by Customer to the satisfaction of Eurocon Building Industries not to be in compliance with the aforesaid warranty. The above obligation of Eurocon Building Industries FZC is expressly conditioned upon

- (i) Receipt by Eurocon Building Industries of notification in writing from Customer of any claimed non-compliance with this warranty within thirty (30) days after such non-compliance first comes to the attention of Customer and within ten (10) years after the date of each shipment;

- (ii) Full compliance by Customer with instructions given by Eurocon Building Industries FZC whether in written or oral form, and normal practices of the design, construction and real property industries and of the industry to which Customer belongs with respect to handling, delivering, storing, processing, treating, installing and maintaining such aluminum composite panels (“Instruction and Practice’); and
- (iii) Provision by Customer to its employees, contractors and customers with relevant parts of Instruction and Practice Customer’s failure to satisfy any of the above three conditions shall be construed as the waiver by Customer of any right it may have to enforce this warranty.

THIS WARRANTY AND REMEDY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, WRITTEN OR ORAL, EXPRESSED OR IMPLIED AND INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL EUROCON BUILDING INDUSTRIES BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL LOSSES OR DAMAGES (INCLUDING, BUT NOT LIMITED TO ECONOMIC LOSS OR LOSS OF PROFITS) SUFFERED OR INCURRED BY CUSTOMER AS A RESULT OF OR IN CONNECTION WITH ANY BREACH OF THIS WARRANTY BY EUROCON BUILDING INDUSTRIES EXCEPT IN THE CASE OF CROSS NEGLIGENCE OR WILLFULNESS OF Eurocon Building Industries FZC.

All notices given under or pursuant to this warranty shall be in writing in English and sent by Registered Certified Mail, postage prepaid and return receipt requested to:

Eurocon Building Industries FZC
P.O Box 49990
Hamriyah Free Zone, Sharjah, UAE.

For Eurocon Building Industries FZC

General Manager – Global Operations

P.S.: PROTECT YOUR ENVIRONMENT:

"ALUBOND USA PANELS ARE ECO FRIENDLY AND CONTRIBUTE SIGNIFICANTLY ON SUSTAINABILITY. WE HEREBY RECOMMEND THAT ALUBOND COMPOSITE PANELS MAY BE PLEASE RETURNED AFTER USE TO OUR EBI AUTHORIZED COLLECTION OFFICE WHO WILL BE BUYING IT AT MARKET PRICE. THIS WAY WE CAN CONTRIBUTE TO THE PROTECTION OF THE ENVIRONMENT AND HUMAN HEALTH. THE RECYCLING OF THE MATERIAL S WILL HELP TO CONSERVE NATURAL RESOURCES."